


## CLAIMS:

1. A compound represented by general formula (I):



wherein Ar<sub>1</sub> and Ar<sub>2</sub> independently represent a 5- or 6-membered aromatic heterocyclic group optionally substituted with 1 to 3 substituents, or a phenyl group optionally substituted with 1 to 3 substituents, with the proviso that, when Ar<sub>1</sub> is a 5- or 6-membered aromatic heterocyclic group substituted with 1 to 3 substituents, Ar<sub>2</sub> is a 5- or 6-membered aromatic heterocyclic group optionally substituted with 1 to 3 substituents, and when Ar<sub>1</sub> is an unsubstituted 5- or 6-membered aromatic heterocyclic group, Ar<sub>2</sub> is a 5- or 6-membered aromatic heterocyclic group substituted with 1 to 3 substituents or a phenyl group substituted with a carbamoyl group having 1 or 2 substituents or with a lower alkyl group having 1 or 2 substituents, and when Ar<sub>1</sub> is a phenyl group optionally substituted with 1 to 3 substituents, Ar<sub>2</sub> is a 5- or 6-membered aromatic heterocyclic group substituted with 1 to 3 substituents;

R<sub>1</sub> represents a lower acyl group, a lower alkoxy carbonyl group, a lower alkoxy group, a lower alkyl group optionally substituted with 1 or 2 substituents, a carbamoyl group optionally substituted with 1

or 2 substituents, an oxamoyl group optionally substituted with 1 or 2 substituents, an amino group optionally substituted with 1 or 2 substituents, a 4- to 7-membered alicyclic heterocyclic group optionally substituted with 1 or 2 substituents, a phenyl group optionally substituted with 1 to 3 substituents, or a 5- or 6-membered aromatic heterocyclic group optionally substituted with 1 to 3 substituents; and

R<sub>2</sub> represents a hydrogen atom or a lower alkyl group optionally substituted with 1 or 2 substituents; or a salt thereof, or a solvate thereof.

2. A compound, a salt thereof, or a solvate thereof according to claim 1, wherein Ar<sub>1</sub> is a 5- or 6-membered aromatic heterocyclic group substituted with 1 to 3 substituents, and Ar<sub>2</sub> is a 5- or 6-membered aromatic heterocyclic group optionally substituted with 1 to 3 substituents.

3. A compound, a salt thereof, or a solvate thereof according to claim 1, wherein Ar<sub>1</sub> is an unsubstituted 5- or 6-membered aromatic heterocyclic group, and Ar<sub>2</sub> is an aromatic heterocyclic group substituted with 1 to 3 substituents.

4. A compound, a salt thereof, or a solvate thereof according to claim 1, wherein Ar<sub>1</sub> is an unsubstituted 5- or 6-membered aromatic heterocyclic group, and Ar<sub>2</sub> is a phenyl group substituted with a carbamoyl group having 1 or 2 substituents or with a lower alkyl group having 1 or 2 substituents.

5. A compound, a salt thereof, or a solvate thereof according to claim

1, wherein Ar<sub>1</sub> is a phenyl group optionally substituted with 1 to 3 substituents, and Ar<sub>2</sub> is a 5- or 6-membered aromatic heterocyclic group substituted with 1 to 3 substituents.

6. A drug comprising a compound, a salt thereof, or a solvate thereof according to any one of claims 1 to 5.

7. A prophylactic and/or therapeutic composition for an ischemic disease comprising a compound, a salt thereof, or a solvate thereof according to any one of claims 1 to 5.

8. Use of a compound, a salt thereof, or a solvate thereof according to any one of claims 1 to 5 for producing a drug.

9. A method for preventing and/or treating an ischemic disease which comprises administering to a patient an effective amount of a compound, a salt thereof, or a solvate thereof according to any one of claims 1 to 5.